



Dräger PARAT® 3100Filter Escape Device

The Dräger PARAT 3100 is a half mask escape device equipped with a multi-gas ABEK15 filter. Approved to the only recognized standard for industrial escape devices (DIN 58647-7) – it provides users a minimum of 15 minutes escape time.



شرکت ایمن سازان محیا تهران ۱۲۵ وارد کننده تجهیزات تخصصی ایمنی و آتش نشانی

۰۹۱۲۵۲۴۹۵۵۰ قائم ۱۹۱۲۲۷۰۰۶۴۴ برزگری

1199424984-119942498



Benefits

Proven protection against a variety of harmful gases

The multi-gas ABEK15 filter provides reliable protection against multiple toxic gases and harmful fumes.

Half mask with 2-point harness

Quick, easy and secure donning in an emergency situation. The half-mask additionally allows for good communication.

Robust, ergonomic carrying case

The ergonomic design with slip-proof gripping areas on the housing allows for easy and safe handling. The belt clip makes the unit easy to carry along for daily use. The robust construction ensures stability even in rough environments.

Transparent case cover

The filter expiration date can easily be verified and the unit can be visually inspected. Making service intervals easy to handle.

Protection for at least 15 minutes

The PARAT 3100 protects the user from harmful gases and smokes for at least 15 minutes. It is approved in accordance with DIN 58647-7.

Long service life

12 years total life time with a filter change every four years. Ensures maximum protection at a reasonable cost.



Related Products



Dräger PARAT® 3200

The Dräger PARAT 3200 is a mouthpiece / nose-clip escape device equipped with a multi-gas ABEK15 filter. Approved to the only recognized standard for industrial escape devices (DIN 58647-7) – it provides users a minimum of 15 minutes escape time.

40 0 58



Technical Data

Filter performance	ABEK 15 gas filter for protection against organic and anorganic gases and vapours, approved in accordance to DIN 58647 part 7 at least 15 minutes		
Duration of use			
Shelf life	4 years maintenance free, filter exchange every 4 years, total shelf life 12 years		
Weight	Dräger PARAT® 3100	approx. 360g	
	Dräger PARAT® 3200	approx. 330g	
Dimensions (L x W x H)	Dräger PARAT® 3100	170 x 110 x 90mm	
	Dräger PARAT® 3200	170 x 110 x 60mm	
Approval	approved in accordance to DIN 58647 part 7 (CE mark 0158)		

Filter capacity according to DIN 58647-7

Туре		Test gas	Concentration in ml/m ³	Breakthrough in ml/m³	Minimum breakthrough time in min
A		Cyclohexane (C ₆ H ₁₂)	2,500	10	15
В		Chlorine (Cl ₂)	2,500	0.5	15
В		Hydrogen sulphide (H ₂ S)	2,500	10	15
В		Hydrogen cyanide (HCN)	2,500	10	15
E	1	Sulphur dioxide (SO ₂)	2,500	5.0	15
K	H	Ammonia (NH ₃)	2,500	25	15
В		Hydrogen sulphide (H ₂ S)	10,000	20	5

^{*}Test conditions according to DIN 58647-7: 30 L/min, 70% relative humidity, 20°C.

Ordering Information

Dräger PARAT® 3100	R 57 981		
Halfmask with ABEK 15 filter			
Dräger PARAT® 3200	R 57 982		
Mouthbit with noseclip with ABEK 15 filter			
Upgrade Kits (excluding filter)			
Dräger parat 1 to Dräger PARAT® 3100	R 56 324		
Dräger parat 2 to Dräger PARAT® 3200	R 56 325		
Accessories:			
Training device components			
	D 50 050		
PARAT® 3100, housing cover (blue)	R 56 353		
PARAT® 3100, housing cover (blue) PARAT® 3200, housing cover (blue)	R 56 353 R 56 354		
,			

[&]quot;To determine the breakthrough capacity of the gas filter it is additionally tested with 10,000 ml/m³ hydrogen sulphide.



Ordering Information

PARAT 3000® security tag, 50 pieces each

R 56 355



Notes

CORPORATE HEADQUARTERS Drägerwerk AG & Co. KGaA

Moislinger Allee 53–55 23558 Lübeck, Germany www.draeger.com

MANUFACTURER

Dräger Safety AG & Co. KGaA Revalstraße 1 23560 Lübeck, Germany

REGION EUROPE CENTRAL AND EUROPE NORTH

Dräger Safety AG & Co. KGaA Revalstraße 1 23558 Lübeck, Germany Tel +49 461 882 0 Fax +49 461 882 2080 info@draeger.com

REGION EUROPE SOUTH

Dräger Safety France SAS 3c, route de la Fédération BP 80141 67025 Strasbourg Tel +33 (0)3 88 40 76 76 Fax +33 (0)3 88 40 76 67 safety, france@draeger.com

REGION MIDDLE EAST, AFRICA

Dräger Safety AG & Co. KGaA Branch Office P.O. Box 505108 Dubai, United Arab Emirates Tel +971 4 4294 600 Fax +971 4 4294 699 contactuae@draeger.com

REGION ASIA PACIFIC

Draeger Safety Asia Pte Ltd. 67 Ayer Rajah Crescent #06-03 Singapore 139950 Tel +65 68 72 92 88 Fax +65 65 12 19 08

REGION CENTRAL AND SOUTH AMERICA

Dräger Panama S. de R.L. Complejo Business Park, V tower, 10th floor Panama City Tel +507 377 9100 Fax +507 377 9130 contactcsa@draeger.com

